

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|--------|---------------------------------|---|------------------|---------|---------------------|
| S12 | 108023 | Router | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/09 12:07 |
| S15 | 49648 | S12 and switch | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/09 12:08 |
| S16 | 331 | S15 and (routing adj processor) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/09 12:10 |
| S17 | 148 | S16 and @py< "2004" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/09 13:58 |
| S22 | 5789 | 370/401.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/10 12:05 |
| S23 | 2455 | S22 and @py< "2004" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/10 12:06 |
| S24 | 71 | S22 and (routing adj engine) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/10 12:07 |
| S25 | 32 | S24 and @py< "2004" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/10 12:17 |
| S26 | 347 | 370/461.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/10 12:17 |

| | | | | | | |
|-----|------|--|---|-----|----|---------------------|
| S30 | 3 | S23 and layer2 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/10 12:28 |
| S31 | 4427 | 370/389.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/10 12:28 |
| S32 | 12 | S31 and layer2 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/10 12:31 |
| S33 | 339 | 370/451.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/10 12:31 |
| S36 | 5658 | 370/352.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/10 12:33 |
| S37 | 2064 | S36 and @py< "2004" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/10 12:33 |
| S38 | 2 | S37 and layer2 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/10 12:33 |
| S39 | 4 | Layer2 with forward\$ adj engine | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/14 17:01 |
| S43 | 1 | Layer2 with (forward\$ adj engine and switch\$) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/14 17:02 |
| S44 | 1 | Layer2 with (engine and switch\$) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/14 17:03 |

| | | | | | | |
|-----|-----|---|---|-----|-----|---------------------|
| S45 | 0 | Layer2 with rout\$3 adj2 engine | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/14 17:04 |
| S46 | 0 | Layer2 with routing adj2 engine | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/14 17:05 |
| S47 | 84 | Layer2 and engine | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/14 17:08 |
| S48 | 45 | S47 and @py< "2004" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/14 17:06 |
| S49 | 4 | Layer2 with engine | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/14 17:11 |
| S50 | 8 | Layer2 and (frames adj3 routing) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/05/14 17:11 |
| S51 | 364 | ((round adj robin adj algorithm) same (load adj distribution algorithm)) and ("370"/\$.ccls. or "709"/\$.ccls.) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/11/03 09:27 |
| S53 | 1 | S51 and ((router near2 (coupl\$3 or connect\$3)) with (switch adj fabric)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/11/03 09:33 |
| S54 | 1 | S51 and ((router near2 (coupl\$3 or connect\$3 or interfac\$3)) with (switch adj fabric)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/11/03 09:36 |
| S55 | 8 | S51 and ((router near8 (coupl\$3 or connect\$3 or interfac\$3)) with (switch adj fabric)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/11/03 09:37 |

| | | | | | | |
|-----|---------|--|---|-----|-----|---------------------|
| S56 | 2 | S55 and @ad<"20031121" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/11/03 09:37 |
| S57 | 5221751 | layer "3" near4 rout\$5 engine and @ad<"20031121" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/09/09 09:16 |
| S58 | 5 | layer "3" near4 rout\$5 engine and @ad<"20031121" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/09/09 09:17 |
| S59 | 73 | layer "3" near4 engine and @ad<"20031121" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/09/09 09:30 |
| S60 | 4 | layer "3" near4 engine and layer "2" engine and @ad<"20031121" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/09/09 09:30 |
| S61 | 18 | router same intelligent near4 port and @ad<"20031121" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/09/09 09:42 |
| S62 | 0 | router and intelligent near4 port and decentraliz \$5 near6 process\$5 and @ad<"20031121" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/09/09 09:46 |
| S63 | 87 | router and decentraliz\$5 near6 process\$5 and @ad<"20031121" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/09/09 09:46 |
| S64 | 0 | router and decentraliz\$5 near6 process\$5 and intelligent near4 port and @ad<"20031121" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/09/09 09:47 |

| | | | | | | |
|-----|-----|--|---|-----|-----|---------------------|
| S65 | 4 | router and decentraliz\$5 near6 process\$5 and (rout \$5 or forward\$5) near6 engine and @ad< "20031121" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/09/09 09:48 |
| S66 | 4 | router and decentraliz\$5 near6 process\$5 and layer "2" and Layer "3" and @ad< "20031121" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/09/09 09:50 |
| S67 | 0 | layer2 near4 engine and @ad< "20031121" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/09/09 10:04 |
| S68 | 141 | layer "2" near4 engine and @ad< "20031121" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/09/09 10:05 |
| S69 | 2 | layer "2" near4 engine and layer "3" engine and @ad< "20031121" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/09/09 10:05 |
| S70 | 12 | forward\$5 same layer "3" near4 engine and @ad< "20031121" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/09/09 12:48 |
| S71 | 0 | (layer "3" layer "2") near4 engine and @ad< "20031121" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/09/09 13:04 |
| S72 | 20 | layer "3" near4 engine and layer "2" near4 engine and @ad< "20031121" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/09/09 13:05 |
| S73 | 0 | forward\$5 near6 layer "3" and forwrd\$5 layer "2" and @ad< "20031121" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/09/09 13:19 |

| | | | | | | |
|-----|------|---|---|-----|-----|---------------------|
| S74 | 23 | forward\$5 near6 layer "3" and forward\$5 layer "2" and @ad< "20031121" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2008/09/09 13:19 |
| S75 | 8547 | ((layer near2 "2") near3 (module or element or device)) and @ad< "20031121" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2009/03/26 19:00 |
| S76 | 8 | ((layer near2 "2") near3 (module or element or device)) and (layer near2 "3" near3 (forward\$3 near2 (engine or device or element or processor))) and @ad< "20031121" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2009/03/26 19:05 |
| S77 | 18 | (router same (intelligent near4 port)) and @ad< "20031121" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2009/03/27 09:32 |
| S78 | 1 | (router same (intelligent near4 port)) same forwar \$3 same rout\$3 same switch and @ad< "20031121" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2009/03/27 09:33 |
| S79 | 4 | (router same (intelligent near4 port)) and forward \$3 and rout\$3 and switch and @ad< "20031121" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2009/03/27 09:34 |
| S80 | 1 | (router same (intelligent near4 port)) and forward \$3 and rout\$3 and switch and (layer near2 "2") and (Layer near2 "3") and @ad< "20031121" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2009/03/27 09:46 |
| S81 | 6 | (intelligent near4 port) and forward\$3 and rout\$3 and switch and (layer near2 "2") and (Layer near2 "3") and @ad< "20031121" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2009/03/27 09:46 |

| | | | | | | |
|-----|-----|--|---|-----|-----|---------------------|
| S82 | 755 | ((router or device) near4 port) and forward\$3 and rout\$3 and switch and (layer near2 "2") and (Layer near2 "3") and @ad< "20031121" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2009/03/27 09:54 |
| S83 | 643 | ((router or device) near4 port) and forward\$3 and rout\$3 and switch and (layer near2 "2") and (Layer near2 "3") and ("370"/\$.ccls. or "709"/\$.ccls. or "455"/\$.ccls.) and @ad< "20031121" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2009/03/27 09:56 |
| S84 | 16 | ((router or device) near4 port) and forward\$3 and rout\$3 and switch and (("no" near2 (mac or (layer near2 "2"))) near4 address) and (Layer near2 "3") and ("370"/\$.ccls. or "709"/\$.ccls. or "455"/\$.ccls.) and @ad< "20031121" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | OFF | 2009/03/27 10:06 |

3/ 27/ 2009 12:55:11 PM

C:\ Documents and Settings\ sbokhari\ My Documents\ EAST\ Workspaces\ 10720898.wsp